



ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ರಾಷ್ಟ್ರೀಯ ಆರೋಗ್ಯ ಅಭಿಯಾನ

ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸೊಸೈಟಿ (ರಿ)

ಜಿಲ್ಲಾ ಯೋಜನಾ ನಿರ್ವಹಣಾ ಘಟಕ, ಪಿಡಬ್ಲ್ಯುಡಿ ಬಿಲ್ಡಿಂಗ್, ನೆಹರೂ ಮೈದಾನ್ ರಸ್ತೆ ದ.ಕ. ಮಂಗಳೂರು

ಇಮೇಲ್:rchodkannada@gmail.com

ಫೋನ್ ನಂಬರ್: 0824-2424501

ಸಂಖ್ಯೆ: ಡಿಪಿಎಂಯು/ದಕ/IDSP-DPHL/2024-25

ದಿನಾಂಕ: 19/08/2024

ಐ.ಡಿ.ಎಸ್.ಪಿ ಕಾರ್ಯಕ್ರಮದಡಿಯಲ್ಲಿ ಪರೀಕ್ಷಾ
ಕಿಟ್‌ಗಳನ್ನು ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ
ಸಾಮಗ್ರಿಗಳನ್ನು ಪೂರೈಸಲು

Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಆಹ್ವಾನ

ಬಿಡ್‌ದಾರರ ಸಹಿ ಮತ್ತು ಮೊಹರು



ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ರಾಷ್ಟ್ರೀಯ ಆರೋಗ್ಯ ಅಭಿಯಾನ

ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸೊಸೈಟಿ (ರಿ)

ಜಿಲ್ಲಾ ಯೋಜನಾ ನಿರ್ವಹಣಾ ಘಟಕ, ಪಿಡಬ್ಲ್ಯುಡಿ ಬಿಲ್ಡಿಂಗ್, ನೆಹರೂ ಮೈದಾನ್ ರಸ್ತೆ ದ.ಕ. ಮಂಗಳೂರು

ಇಮೇಲ್: rchodkannada@gmail.com

ಫೋನ್ ನಂಬರ್: 0824-2424501

ಸಂಖ್ಯೆ: ಡಿಪಿಎಂಯು/ದಕ/IDSP-DPHL/2024-25

ದಿನಾಂಕ: 19/08/2024

Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಪ್ರಕಟಣೆ

ದಕ್ಷಿಣ ಕನ್ನಡ ಜಿಲ್ಲೆಯ ಐ.ಡಿ.ಎಸ್.ಪಿ ಕಾರ್ಯಕ್ರಮದಡಿಯಲ್ಲಿ ಜಿಲ್ಲಾ ಸಾರ್ವಜನಿಕ ಪ್ರಯೋಗಾಲಯಕ್ಕೆ ಅಗತ್ಯವಿರುವ ಪರೀಕ್ಷಾ ಕಿಟ್‌ಗಳನ್ನು ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳನ್ನು ಪೂರೈಸಲು ಅರ್ಹ ಸಂಸ್ಥೆಗಳಿಂದ Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಆಹ್ವಾನಿಸಲಾಗಿದೆ.

ಅರ್ಹ ಸಂಸ್ಥೆಗಳು ಈ ಕಛೇರಿಯ ವೆಬ್‌ಸೈಟ್ www.dkhfw.in ತಂತ್ರಾಂಶದಲ್ಲಿ Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ನಮೂನೆಯನ್ನು ಪಡೆದು ಭರ್ತಿಗೊಳಿಸಿದ Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ನಮೂನೆಯನ್ನು Technical Documentನಲ್ಲಿ ತಿಳಿಸಲಾದ ಎಲ್ಲಾ ದಾಖಲಾತಿಗಳ ಪ್ರತಿಯೊಂದಿಗೆ The Member Secretary, District Health and Family Welfare Society, D.K, Mangaluru (ಸದಸ್ಯ ಕಾರ್ಯದರ್ಶಿ, ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಮತ್ತು ಕು.ಕ.ಸೊಸೈಟಿ, ದ.ಕ.ಮಂಗಳೂರು) ಇವರ ಹೆಸರಿನಲ್ಲಿ ಮೊಹರಾದ ಲಕೋಟೆಯಲ್ಲಿಟ್ಟು ದಿನಾಂಕ 28/08/2024ರ ಪೂರ್ವಾಹ್ನ 11.00 ಗಂಟೆಯೊಳಗಾಗಿ ಈ ಕಛೇರಿಗೆ ಸಲ್ಲಿಸತಕ್ಕದ್ದು.

ಸಹಿ/-

ಸದಸ್ಯ ಕಾರ್ಯದರ್ಶಿ

ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಮತ್ತು ಕು.ಕ.ಸೊಸೈಟಿ

ದ.ಕ ಮಂಗಳೂರು.

ಬಿಡ್‌ದಾರರ ಸಹಿ ಮತ್ತು ಮೊಹರು

**Supply of Diagnostic Kits and other Lab Items for DPHL Lab under IDSP
Programme**

Technical Document

Sl. No	Particulars	Details to be Filled by Tenderer (Attached/not attached)
1	Name of the Firm, Firms full address Office Phone, Fax, and Mobile No and E-mail ID (In Firm's letter head)	
2	Attested Copy of Registration/ License from concerned Authority	
3	Attested copy of GST certificate	
4	Attested copy of TAN or PAN Card	
5	Valid Drug License	

ಟೆಂಡರ್‌ದಾರರ ಸಹಿ ಮತ್ತು ಮೊಹರು

**ಐ.ಡಿ.ಎಸ್.ಪಿ, ಕಾರ್ಯಕ್ರಮದಡಿಯಲ್ಲಿ ಪರೀಕ್ಷಾ ಕಿಟ್‌ಗಳನ್ನು ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳನ್ನು
ಪೂರೈಸಲು ನಿಬಂಧನೆಗಳು**

- 1) ಅಂದಾಜು ವೆಚ್ಚ ಮೊತ್ತ ರೂ.4,00,000/- ಆಗಿರುತ್ತದೆ.
- 2) Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಪರಿಶೀಲನೆಯ ಬಗ್ಗೆ ಮತ್ತು ಈ Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಬಗ್ಗೆ ಇತರೆ ಯಾವುದೇ ದೂರುಗಳಿದ್ದಲ್ಲಿ ಸದರೀ ಪ್ರಕ್ರಿಯೆ ನಡೆದ 1 ವಾರದೊಳಗೆ ಮಾತ್ರವೇ ಮೇಲ್ಕನವಿ ಪ್ರಾಧಿಕಾರಕ್ಕೆ ಮನವಿ ಸಲ್ಲಿಸಬೇಕು. ತದನಂತರ ಬಂದ ಯಾವುದೇ ಮನವಿಯನ್ನು ಪರಿಗಣಿಸಲಾಗುವುದಿಲ್ಲ.
- 3) ಯಶಸ್ವಿ ಸಂಸ್ಥೆಯು/ಇಲಾಖೆಯು ಒಪ್ಪಂದದಿಂದ ಹಿಂದೆ ಸರಿಯುವುದಾದರೆ 7 ದಿನಗಳ ಮುಂಚಿತವಾಗಿ ನೋಟೀಸ್‌ನ್ನು ಬರವಣಿಗೆಯಲ್ಲಿ ನೀಡತಕ್ಕದ್ದು.ಇಲ್ಲದಿದ್ದಲ್ಲಿ ಅಗತ್ಯ ಕ್ರಮ ಕೈಗೊಳ್ಳಲಾಗುವುದು.
- 4) ಸಂಸ್ಥೆಯವರು ಸೂಕ್ತವಾಗಿ Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಸಲ್ಲಿಕೆ ಮಾಡಬೇಕು.ಯಾವುದೇ ತಪ್ಪುಗಳು ಸಂಭವಿಸಿದ್ದಲ್ಲಿ ಇಲಾಖೆಯು ಜವಾಬ್ದಾರಿ ಆಗಿರುವುದಿಲ್ಲ.
- 5) ಯಾವುದೇ ಸೂಚನೆಗಳನ್ನು ನೀಡದೇ Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಅನ್ನು ರದ್ದುಪಡಿಸುವ/ಅಂಗೀಕರಿಸುವ/ತಿರಸ್ಕರಿಸುವ ಹಕ್ಕು ಇಲಾಖೆಗೆ ಇರುತ್ತದೆ.
- 6) Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿಯಲ್ಲಿ ನಮೂದಿಸುವ ದರವನ್ನು ಮಾತ್ರ ಪರಿಗಣಿಸಲಾಗುವುದು. ಅದುದರಿಂದ ಸಂಸ್ಥೆಯವರು ದರಗಳನ್ನು ಸೂಚಿಸುವಾಗ ಸಾಗಾಟದ ವೆಚ್ಚ, ತೆರಿಗೆ ದರಗಳನ್ನು ಸೇರಿಸಿ ನಮೂದಿಸಬೇಕು. ಇಲ್ಲದಿದ್ದಲ್ಲಿ ಹಾಲಿ ಸೂಚಿಸಿರುವ ದರವು ಎಲ್ಲವೂ ಸೇರಿರುವುದಾಗಿ ಭಾವಿಸಲಾಗುವುದು.
- 7) ಈ ಅವಧಿಯಲ್ಲಿ ಪರೀಕ್ಷಾ ಕಿಟ್‌ಗಳ ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳ ಪ್ರಮಾಣವು ಹೆಚ್ಚಾಗಬಹುದು/ಕಡಿಮೆಯಾಗಬಹುದು ಎಂಬ ನಿಬಂಧನೆಗೊಳಪಟ್ಟಿರುತ್ತದೆ.
- 8) ಅನುದಾನಗಳ ಲಭ್ಯತೆಗೆ ಅನುಸಾರವಾಗಿ ಪರೀಕ್ಷಾ ಕಿಟ್‌ಗಳನ್ನು ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳನ್ನು ಖರೀದಿಸಲಾಗುವುದು ಎಂಬ ನಿಬಂಧನೆಗೊಳಪಟ್ಟಿರುತ್ತದೆ.
- 9) ಸಂಸ್ಥೆಯವರು ಪೂರೈಸುವ ಪರೀಕ್ಷಾ ಕಿಟ್ ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳು ಕಳಪೆ ಗುಣಮಟ್ಟದಾಗಿದ್ದಲ್ಲಿ ಅಥವಾ ಸಮರ್ಪಕವಾಗಿ ಸರಬರಾಜು ಮಾಡದ ಕಾರಣಗಳಿಂದ ಸರಬರಾಜು ಮಾಡುವ ಪರೀಕ್ಷಾ ಕಿಟ್‌ಗಳ ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳನ್ನು ಸ್ವೀಕರಿಸುವ/ನಿರಾಕರಿಸುವ ಹಕ್ಕನ್ನು ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸೊಸೈಟಿ, ದಕ್ಷಿಣ ಕನ್ನಡ ಇದರ ಖರೀದಿ ಸಮಿತಿ ಹೊಂದಿರುತ್ತದೆ.
- 10) ಇದು ಏಟಂವಾರು Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಆಗಿರುತ್ತದೆ.
- 11) ಸಂಸ್ಥೆಗಳು ಸಮಾನ ದರವನ್ನು ನಮೂದಿಸಿದ್ದಲ್ಲಿ ದರ ಸಂಧಾನ ಮಾಡಲಾಗುವುದು. ದರ ಸಂಧಾನಕ್ಕೆ ಸಂಸ್ಥೆಗಳು ಒಪ್ಪದಿದ್ದಲ್ಲಿ ಚೀಟಿ ಎತ್ತುವಿಕೆ ಪ್ರಕ್ರಿಯೆ ನಡೆಸಲಾಗುವುದು. ಚೀಟಿ ಎತ್ತುವಿಕೆ ಪ್ರಕ್ರಿಯೆಗೆ ಸಂಸ್ಥೆಗಳು ಒಪ್ಪದಿದ್ದಲ್ಲಿ ಈ Manual ಟೆಂಡರ್/ದರಪಟ್ಟಿ ಪ್ರಕ್ರಿಯೆಯನ್ನು ರದ್ದುಗೊಳಿಸಿ ಮತ್ತೊಮ್ಮೆ ಟೆಂಡರ್ ಕರೆಯಲಾಗುವುದು.
- 12) ಪರೀಕ್ಷಾ ಕಿಟ್ ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳನ್ನು ಆದೇಶ ನೀಡಿದ 7 ದಿನಗಳ ಒಳಗಾಗಿ ಸರಬರಾಜು ಮಾಡತಕ್ಕದ್ದು.
- 13) ಅನುದಾನ ಲಭ್ಯವಿದ್ದಲ್ಲಿ 10 ದಿನಗಳ ಒಳಗಾಗಿ ಪಾವತಿ ಮಾಡಲಾಗುವುದು. ಅಗತ್ಯ ಅನುದಾನ ಲಭ್ಯವಿಲ್ಲದಿದ್ದಲ್ಲಿ ಅನುದಾನ ಸ್ವೀಕೃತವಾದ ನಂತರ ಬಿಲ್ ಪಾವತಿ ಮಾಡುವ ಬಗ್ಗೆ ಸಂಸ್ಥೆಯು ಒಪ್ಪಿಗೆ ಇರುತ್ತದೆ.
- 14) ಕೋರಿರುವ ಪರೀಕ್ಷಾ ಕಿಟ್‌ಗಳ ಮತ್ತು ಇತರೆ ಪ್ರಯೋಗಾಲಯ ಸಾಮಗ್ರಿಗಳು ಎಷ್ಟೇ ಪ್ರಮಾಣದಲ್ಲಿ ಕೇಳಿದರೂ 7 ದಿನಗಳ ಒಳಗೆ ಸರಬರಾಜು ಮಾಡಲು ಬದ್ಧರಾಗಿರತಕ್ಕದ್ದು.
- 15) ಸಂಸ್ಥೆಯವರು ಮೇಲೆ ತಿಳಿಸಿದ ನಿಬಂಧನೆಗಳ ಹೊರತಾಗಿಯೂ ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸೊಸೈಟಿ, ದಕ್ಷಿಣ ಕನ್ನಡ ಇದರ ಖರೀದಿ ಸಮಿತಿಯ ನಿರ್ಧಾರವೇ ಅಂತಿಮವಾಗಿರುತ್ತದೆ.

ಈ ಮೇಲಿನ ಎಲ್ಲಾ ಷರತ್ತುಗಳನ್ನು ಓದಿ ಅರ್ಥೈಸಿದ್ದೇನೆ/ದ್ದೇವೆ ಮತ್ತು ಈ ಎಲ್ಲಾ ಷರತ್ತುಗಳಿಗೆ ಬದ್ಧನಾಗಿರುತ್ತೇನೆ/ತ್ತೇವೆ.

ಸಂಸ್ಥೆಯವರ ಸಹಿ ಮತ್ತು ಮೊಹರು

Model Bid form

Firm's letterhead

Date:

To,
The Member Secretary,
District Health and Family Welfare Society,
D.K, Mangaluru.

Sir,

Supply of Diagnostic Kits and other Lab Items for DPHL Lab under IDSP Programme

Financial Bid

SL NO	Item Description	SPECIFICATION	UNIT OF MEASURE	RATE PER UNIT	Approximate Requirement	TOTAL
1	Mac Conkey broth	Dehydrated anhydrous ready to prepare media. long expiry should with sealed container of pack of 500gms	500gms		15Kg	
2	Robertson Cooked Meat media	Dehydrated anhydrous ready to prepare media. long expiry should with sealed container of pack of 500gms	500gms		5 Kg	
3	Peptone	Dehydrated anhydrous ready to prepare media. long expiry should with sealed container of pack of 500gms	500gms		15 Kg	
4	Sodium thiosulphate	Dehydrated anhydrous ready to prepare media. long expiry should with sealed container of pack of 500gms	500gms		500gms	
5	Sodium lauryl sulphate	Dehydrated anhydrous ready to prepare media. long expiry should with sealed container of pack of 250gms	250GMS		500GMS	
6	Dipotassium hydrogen orthophosphate (anhydrous)	Dehydrated anhydrous ready to prepare media. long expiry should with sealed container of pack of 500gms	500GMS		500GMS	
7	Mac Conkey agar	Dehydrated anhydrous ready to prepare media. long expiry should with sealed container of pack of 500gms	500GMS		5 KG	
8	MR VP medium	Dehydrated , ready to prepare media. long expiry should with sealed container of pack of 100gms .	100gm		100gm	
9	Alpha naphthol solution	98% purity ,acid-resistant, with a boiling point of 379.8 C and a melting point of 286 C in air tight container .	100ml		200 ml	
10	Ethanol	Component 99.9%.To be supplied in 500 ml airtight good quality plastic bottle.	500ml		500 ml	

11	Oxidase Disc	Ready oxidase disc should be supplied in tight container as each container containg 50 discs .	1 Vial		2 Vials	
12	Optochin disc (5mcg)	vial containing 50 discs in a moisture free air tight container	1 vial		1 vial	
13	Ciprofloxacin 5 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
14	Imipenem 10 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
15	Rifampin 15 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
16	Norfloxacin 10 mcg/Disc]	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
17	Trimethoprim 25 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
18	Tetracycline 30 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
19	Ampicilin 10 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
20	Cefoxitin 30 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
21	Cefzolin 30 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
22	Cefuroxime 30 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
23	Gentamicin 10 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
24	Azithromycin 15 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
25	Piperacilin 100 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
26	Amikacin 10 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
27	Cefepime 30 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
28	Ceftazidime 30mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
29	Doxycycline 30mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
30	Ofloxacin 5mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
31	Cefoperazone 75mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
32	Meropenem 10mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
33	Norfloxacin 10 mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
34	Linozalid 30mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	

35	Chloramphenicol 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
36	Cefuroxime 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
37	Ceftriaxone 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
38	Cefexime 10mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
39	Erythromycin 5mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
40	Ceftriaxone 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
41	nitrofurantoin 300mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
42	Gentamycin 10mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
43	Cefipime 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
44	Levofloxacin 5 mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
45	Cefotaxime 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
46	Piperacillin Tazobactam 30/6mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
47	Tigecycline 15mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
48	Co-trimoxazole 25 mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
49	Minocycline 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
50	Penicillin 10mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
51	Clindamycin 8mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
52	Cefoxitin 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
53	Colistin 50mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
54	Fosfomycin 50mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
55	Cefazoline 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
56	Ertapenem 10mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
57	Ceftazidime 10mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
58	Aztreonam 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	
59	Teicoplanin 30mcg	Antibiotic disc pack containing 50 discs should be supplied in tight container	1 Vial		2 Vials	

60	Tetracycline 30mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
61	Erythromicin 15mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
62	Amoxicillin 2mcg	Antibiotic disc pack containg 50 discs should be supplied in tight container	1 Vial		2 Vials	
63	Urease base	Dehydrated adhydrous ready to prepare media. long expiry with sealed container of pack of 100gms	100GMS		200 Grams	
64	Urea supplement	40%Supplement provided in good plastic bottle of 5ML in one vial , long expiry with sealed container	5*5 ML		10 Vials	
65	Simmons citrate Agar Media	Dehydrated adhydrous ready to prepare media. long expiry with sealed container of pack of 100gms	100GMS		100 Grams	
66	Triple Sugar Iron Agar Media	Dehydrated adhydrous ready to prepare media. long expiry with sealed container of pack of 100gms	100GMS		100 Grams	
67	Cary blair agar	Dehydrated adhydrous ready to prepare media. long expiry with sealed container of pack of 100gms	100GMS		100 Grams	
68	Muller Hinton Agar	Dehydrated adhydrous ready to prepare media. long expiry with sealed container of pack of 500gms	500GMS		2 KG	
69	Saborouds Dextrose Agar	Dehydrated adhydrous ready to prepare media. long expiry with sealed container of pack of 100gms	100gms		100 Grams	
70	BHI Broth media	20 ml sterile BHI broth media in sterile air tight glass media bottle with air tight lid	1*20 ml		100 Botttles	
71	Dioxycholatre citrate agar media	Dehydrated adhydrous ready to prepare media. long expiry with sealed container of pack of 100gms	100gms		100gms	
72	Scrub typhus IgM ELISA kit	Scrub typhus IgM Elisa Kit test for the detection of scrub typhus IgM antibodies in human serum . IgM ELISA kit with 96 wells with good quantity of positive and negative controls . Long expiry is must .kit is provided with moisture free container	1KIT /96 wells		3 Kits	
73	Leptospira IgM ELISA kit	Leptospira IgM Elisa Kit test for the detection of Leptospira IgM antibodies in human serum . IgM ELISA kit with 96 wells with good quantity of positive and negative and calibrator controls . Long expiry is must .kit is provided with moisture free container	1KIT /96 wells		5 Kits	

74	Hepatitis A IgM ELISA Kit	Hepatitis A IgM Elisa Kit test for the detection of Hepatitis A IgM antibodies in human serum . IgM ELISA kit with 96 wells with good quantity of positive and negative controls . Long expiry is must .kit is provided with moisture free container	1KIT /96 wells		2Kits	
75	Hepatitis E IgM ELISA Kit	Hepatitis E IgM Elisa Kit test for the detection of Hepatitis E IgM antibodies in human serum . IgM ELISA kit with 96 wells with good quantity of positive and negative controls . Long expiry is must .kit is provided with moisture free container	1KIT /96 wells		2 Kits	
76	Dilution well plate	Made up of Polystyrene ,having 96 wells of 350 microlitre capacity each ,sterile and supplied with moisture free air tight sealed plastic cover to each plate .	1 No		500 Nos	
77	10-200 Microlitre Tips	sterile 10-200 microlitre capacity microtips supplied in moisture free plastic bag of 1000 number in each.	1 tip		10000 Nos	
78	100-1000 Microlitre Tips	sterile 10-200 microlitre capacity microtips supplied in moisture free plastic bag of 500 number in each .	1 tip		10000 Nos	
79	Sample collecting vials	3ml capacity plastic tube with leak proof cap with 500 numbers in a pack	1 VIAL		5000 Nos	
80	Eosin Yellow	Good quality powder in air tight container	25 GRAMS		200 GRAMS	
81	Pottasium dichromate	Good quality powder in air tight container	500gms		500gms	
82	Plastic beaker (500 ML)	Good quality thick plastic autoclavable beaker of quantity 500ml	1 No		5 Nos	
83	Water collecting bottles	Good quality thick plastic autoclavable bottle of quantity 250ml with leakproof plastic screw cap .	1 Bottle		50 Nos	
84	Aluminium foil	12 micron thickness ,good quality foil , each in separate moisture free package	1 Bundle		5 Bundle	
85	Cotton swabs	Sterile cotton swab with good quality wooden stick with sterile package	1 Box/100 No		10 Box	
86	Blood agar base	Dehydrated anhydrous ready to prepare media. long expiry with sealed container of pack of 100gms	100gms		500gms	
87	Glass slides	Glass slides plain, size 76mmX26mmX1.3mm, clean, scratch free with smooth edges, uniform refractive index, pack of 50. Sealed in moisture absorbing desiccant pack and Tissue paper separation between each slide. Should be good quality.	1 Pack / 50 No.		10 Pack.	

88	Liquid paraffin I P (OIL)/Cedar wood oil	Good quality oil in air tight bottle	1Bottle/50 0ml		1Bottle/5 00ml	
89	Kovacs' Indole reagent	Good quality reagent in air tight bottle	100ml		300 ml	
90	Kovac's strip	Good quality strips with Kovac reagent in sealed packs	1 pack/25 strips		5 pack	
91	Gram's stain kit	kit containing good quality stain bottles provided with droppers .	1 Kit		4 Kits	
92	EDTA Tubes	5ml tube with EDTA,in a pack of 100 tubes in moisture free air tight plastic cover	1Box/100 Tubes		1Box/100 Tubes	
93	Plain Tubes	5ml tube in a pack of 100 tubes in moisture free air tight plastic cover	1Box/100 Tubes		1Box/100 Tubes	
94	Aprons	Good quality 3/4th sleeve aprons of the size 34 M: 36M: 38M: 34L: 36L and 38L	1No		12 Nos	
95	Lab shoes	Good quality plastic front full covered lab shoes of the size 7	1 Pair		10 pairs	
96	pipette stand	Good quality plastic pipette stand with 06 pipette holding capacity	1No		1No	
97	Widal tube kit	Tube widal test KIT for the detection of Salmonella H,O and AH antibodies in human serum . All 3 antigens of good quality with positive and negative controls	1 Kit		5 kit	
98	Hypochlorite solution	10 percent concentration to be supplied in plastic tight tread can	5 litres		50 litres	
99	Staining stand	Stainless steel stand with 2 parallel rods	1 No		2 No	
100	Mac Cotney bottles	Good quality ,30 ml capacity glass bottle with tight screw cap.	1 No		100 No	
101	IMVIC testing kit	Good quality ,ready to use reagents for IMVIC test in good sealed packs	1 No		5 No	

*Rate should be Inclusive of GST,TDS, Transportation, etc

Bidder Seal & sign